



ADCOM

11 Elkins Rd.
East Brunswick
NJ 08816 USA

serial #

-78922

model GFA-535
stereo power amplifier

voltage: 220V

freq: 50-50 Hz

power consumption: 300W max

CSA file no: LL37682

AD-14

If output wires are run between building walls
and materials, class 1 wiring shall be installed as
per local code.



CAUTION: To prevent fire or shock, do
not expose this appliance to rain or moisture.
To prevent electric shock, do not remove
cover. No user serviceable parts inside.
Refer servicing to qualified personnel. For
continued protection against fire hazard,
replace only with same type 5A, 250V fuse.
Disconnect supply cord before changing fuse.

ATTENTION: Risque de choc-ne pas
enlever. Remplacer uniquement par un fusible
de meme type de 5A, 250V. Débrancher
avant de remplacer le fusible.



AD-14

CSA file no: LL37682

power consumption: 300W max

voltage: 220V

freq: 50-50 Hz

model GFA-535

stereo power amplifier

East Brunswick NJ 08816 USA

ADCOM

serial #

CSA file no: LL37682

power consumption: 300W max

voltage: 220V

freq: 50-50 Hz

model GFA-535

stereo power amplifier

East Brunswick NJ 08816 USA

ADCOM

ADCOM

model GFA-535

power

high current power amplifier
instantaneous distortion alert:

A spkr B

L R
channel

channel
L R
instantaneous distortion alert:
high current power amplifier

A spkr B



ACCOM

Model GP-2-350

high current power amplifier
instantaneous distortion < 0.01%

