



McIntosh
MC 2105 SOLID STATE
POWER AMPLIFIER

LEFT GAIN

METER RANGE

RIGHT GAIN

SPEAKER


POWER

HEADPHONES

PABLOC

PABLOC

CAUTION: TO PREVENT ELECTRICAL SHOCK DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.





McIntosh
 AUDIO AUTOFORMER
 TYPE 043-690

0dB/100V	10 Ω
0dB	9 Ω
0dB/100V	8 Ω
0dB	7 Ω
0dB	6 Ω
0dB	5 Ω
0dB	4 Ω
0dB	3 Ω
0dB	2 Ω
0dB	1 Ω

FREQUENCY RANGE = 10 Hz - 100 kHz
 POWER LEVEL = 100 WATTS

McIntosh
 AUDIO AUTOFORMER
 TYPE 043-694

0dB/100V	10 Ω
0dB	9 Ω
0dB/100V	8 Ω
0dB	7 Ω
0dB	6 Ω
0dB	5 Ω
0dB	4 Ω
0dB	3 Ω
0dB	2 Ω
0dB	1 Ω

FREQUENCY RANGE = 10 Hz - 100 kHz
 POWER LEVEL = 100 WATTS

McIntosh
 POWER TRANSFORMER
 TYPE 043-692

0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A
0dB	100 V	5 A

FREQUENCY RANGE = 10 Hz - 100 kHz
 POWER LEVEL = 100 WATTS

MODEL MC2105 STEREO POWER AMPLIFIER

PRECISION STEREO BY **McIntosh**

McINTOSH LABORATORY INC. BINGHAMTON, NEW YORK

