






Certificate
103
Voltage
DELIVERING
ELS, HANDLES, KNOBS,
FIGURED PER ORDER
L APPEARANCE INSPEC
IPPING
PING CHECKLIST COMF
ON LABEL VERIFIED






audio research

MUTE	PROC	MONITOR	CD	TUN	AUX	BAL1	BAL2												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
VOLUME																			

VACUUM TUBE PREAMPLIFIER

POWER MONITOR PROC MUTE

LS17SE HIGH DEFINITION®







RIGHT INPUTS



BAL 2

BAL 1



AUX



TUNER



CD



PROC



MONITOR



RECORD



MAIN 1

RIGHT OUTPUTS



MAIN 2

MAIN 3




LEFT INPUTS

MODEL LS17
STEREO PREAMPLIFIER

audio research®

PLYMOUTH, MINNESOTA
MADE IN U.S.A.

LEFT OUTPUTS



12293703 SERIAL VOLTS 230V



WARNING
TO PREVENT FIRE AND SHOCK HAZARD, DO NOT
EXPOSE THIS DEVICE TO RAIN OR MOISTURE.
UNIT MUST BE OPERATED IN A HORIZONTAL POSITION.
-DO NOT OPERATE WITH COVERS REMOVED-
UNIT CONTAINS VOLTAGES WHICH MAY BE HAZARDOUS.

CAUTION
FOR PROTECTION AGAINST FIRE HAZARD
REPLACE ONLY WITH SAME RATING FUSES.



2A FUSE
SLO-BLO
T1.6A (230V)



50 WATTS
MAXIMUM
50/60 HZ ~

+12V
OUT

